

***Coccidioides posadasii*, Strain C735**

**Catalog No. NR-48945**

**Product Description:** *Coccidioides posadasii* (*C. posadasii*), strain C735 is a clinical isolate collected in the 1980s from a patient in Texas, USA.

**Lot<sup>1</sup>: 70014553**

**Manufacturing Date: 21MAY2018**

TEST	SPECIFICATIONS	RESULTS
<b>Phenotypic Analysis</b> Cellular morphology <sup>2</sup>  Colony morphology <sup>2</sup>	Report results  Report results	Long, thin hyphae and barrel-shaped arthroconidia (Figure 1) Circular, convex, entire, membranous, dull and white (Figure 2)
<b>Genotypic Analysis<sup>3</sup></b> Sequencing of partial 18S ribosomal RNA (rRNA) gene, internal transcribed spacer (ITS) 1, 5.8S rRNA gene, ITS 2, partial 26S rRNA (~ 600 base pairs) Sequencing of 28S rRNA gene (~ 610 base pairs)	≥ 99% sequence identity to <i>C. posadasii</i> , strain C735 (GenBank: ACFW01000019.1) ≥ 99% sequence identity to <i>C. posadasii</i> , strain C735 (GenBank: ACFW01000043.1)	100% sequence identity to <i>C. posadasii</i> , strain C735 (GenBank: ACFW01000019.1) <sup>4</sup> 100% sequence identity to <i>C. posadasii</i> , strain C735 (GenBank: ACFW01000043.1) <sup>4</sup>
<b>Purity<sup>5</sup></b> Nutrient broth with 0.1% Yeast Extract at 25°C Nutrient broth with 0.1% Yeast Extract at 37°C	No bacterial growth No bacterial growth	Non-turbid growth Non-turbid growth
<b>Viability (post-freeze)<sup>2</sup></b>	Growth	Growth

<sup>1</sup>NR-48945 was produced by inoculation of the deposited material into Emmons' Modified Sabouraud Dextrose broth. Broth inoculum was added to Emmons' Modified Sabouraud Dextrose agar kolles, which were grown for 11 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub>. The agar growth was harvested with 20% glycerol to produce this lot.


<sup>2</sup>4 days at 37°C in an aerobic atmosphere with 5% CO<sub>2</sub> on Emmons' Modified Sabouraud Dextrose agar

<sup>3</sup>*C. immitis* and *C. posadasii* cannot be identified to the species level based on ITS and large subunit rRNA sequences (Tintelnot, K., et al. "Taxonomic and Diagnostic Marker for Identification of *Coccidioides immitis* and *Coccidioides posadasii*." *Med. Mycol.* 45 (2007): 385-393. PubMed: 17654264.).

<sup>4</sup>Also consistent with *C. immitis*

<sup>5</sup>Clarity of broth was determined by visual inspection after 4 days in an aerobic atmosphere with 5% CO<sub>2</sub>.

**Figure 1: Cellular Morphology**



**Figure 2: Colony Morphology**



/Heather Couch/  
Heather Couch

13 NOV 2018

Program Manager or designee, ATCC Federal Solutions

ATCC®, on behalf of BEI Resources, hereby represents and warrants that the material provided under this certificate has been subjected to the tests and procedures specified and that the results described, along with any other data provided in this certificate, are true and accurate to the best of ATCC®'s knowledge.

ATCC® is a trademark of the American Type Culture Collection.

You are authorized to use this product for research use only. It is not intended for human use.

